

Cosmo Bio Co., Ltd

TOYO EKIMAE BLDG, 2-20,TOYO 2CHOME, KOTO-KU,TOKYO 135-0016,JAPAN

TEL: +81-3-5632-9617 FAX: +81-3-5632-9618

URL: http://www.cosmobio.co.jp/e-mail: export@cosmobio.co.jp

国内連絡先

TEL: 03-5632-9610 FAX: 03-5632-9619

Catalog No.CBX00505

Mouse monoclonal antibody Anti-Human CLNS1A

Formulation

Mouse monoclonal anti-human **CLNS1A** antibody in PBS (3.0 mM KCl, 1.5 mM KH₂PO₄, 140 mM NaCl, 8.0 mM Na₂HPO₄ (pH 7.4)) containing 1% bovine serum albumin (BSA) and 0.05% sodium azide (NaN₃).

Antibody concentration

 $100 \, \mu g/ml \, (1.0 \, ml)$

■Storage

Store at 2-8°C for up to one year.

We recommend storing at -20° C for long-term storage. Avoid repeat freezing and thawing cycles.

Preparation

This antibody was purified using protein G column chromatography from culture supernatant of hybridoma cultured in a medium containing bovine IgG-depleted (approximately 95%) fetal bovine serum.

Sterility

Filtered through a 0.22 µm membrane.


Applications

WB, IC, Dot Blot

Disposal

This antibody solution contains sodium azide (NaN₃) as a preservative. There is a potential hazard that NaN₃ reacts with copper or lead to produce an explosive compound. For safe disposal, the vial has to be washed thoroughly with water.

Lot No. 2187C2a-1 Clone No. 2187C2a Antibody class: IgG1 Immunogen: Recombinant



Safety warnings and precautions

Caution must be taken to avoid contact with skin or eyes. In such a case, rinse thoroughly at once with water. Do not ingest, inhale, or swallow. Seek medical attention immediately.

Wear appropriate protective clothing such as laboratory overalls, safety glasses and gloves.

It is strongly advised that this product should be handled by people who have been well trained in laboratory techniques and that it is handled with care pursuant to the principles of good laboratory practice. All chemicals are deemed potentially harmful.

The vial is prone to fall over. Use caution, especially when the lid is off.



Catalog No. CBX00505

Mouse monoclonal antibody Anti-Human CLNS1A


Background

The interaction with Sm proteins inhibits their assembly on U RNA and interferes with snRNP biogenesis. Inhibits the binding of survival motor neuron protein (SMN) to Sm proteins. May participate in cellular volume control by activation of a swelling-induced chloride conductance pathway. [UniProtKB Function]

■ Recommended condition


WB: $0.2-2 \mu g/ml$ IC: $2-100 \mu g/ml$

Application



Detection of CLNS1A by Western blot. Samples: Whole cell lysate from human HEK293 (H, 25 μ g) , mouse NIH3T3 (M, 25 μ g) and rat F2408 (R, 25 μ g) cells. [Lot No. 2187C2a-1]

Predicted molecular weight: 26 kDa



Immunostaining analysis in HeLa cells. HeLa cells were fixed with 4% paraformaldehyde and permeabilized with 0.1% Triton X-100 in PBS. The cells were immunostained with anti-CLNS1A mAb. [Lot No. 2187C2a-1]