

The ELISA of anti 6-Oxo-Estrone-6-CMO-BSA according to FKA-202E and FKA-201

The Cross reactivities of anti 6-Oxo-Estrone-6-CMO-BSA (FKA-202E) by ELISA with 6-Oxo-Estrone-6-CMO-HPR (FKA-201)

Antigen	6-Oxo-Estrone-6-CMO-BSA
Antibody	FKA-202E Purified by Protein A Freeze-drying of 3µl / Vial
Dilution of IgG	2000test for RI Assay 50µl/well use
Label (FKA-201)	6-Oxo-Estrone-6-CMO-HPR 1ml / Vial
	1,000test for ELISA 50µl/well use
O.D. (492/600nm) of B0	1.0
Estrone dose of B0/2	5 ng/ml
Strage/Handling	Maintain at 4°C-8 °C (-20 °C for long term storage) in undiluted aliquots. Avoid repeated freeze/thaw cycles.

Steroid	Cross Reaction
Estrone(E1)	100 %
Estradiol or Estradiol-17Beta(E2)	5.00 %
Estriol(E3)	1.20 %
Estrone Sulfate	0.40 %
Estrone Glucuronide	0.15 %
2-Methoxyestrone	0.05 %
Pregnenolone	0.00 %
Progesterone	0.00 %
Cortisol	0.00 %
Cortisone	0.00 %
4-Androstenedione	0.00 %
Testosterone	0.00 %
DHA	0.00 %
DHT	0.00 %

For research use only; not for use as a diagnostic.

COSMO BIO CO.,LTD

TOYO EKIMAE BLDG, 2-20,TOYO 2CHOME,KOTO-KU,TOKYO 135-0016,JAPAN
TEL: +81-3-5632-9605 FAX: +81-3-5632-9614 e-mail: export@cosmobio.co.jp
www.cosmobio.co.jp