

The ELISA of anti Diethylstilbestol-4-Carboxymethyl ether according to FKA-602E and FKA-601

The Cross reactivities of anti Diethylstilbestol-4-Carboxymethyl ether-BSA(FKA-602E) by ELISA with Diethylstilbestol-4-Carboxymethyl ether-HRP (FKA-601)

Antigen	Diethylstilbestol-4-Carboxymethyl ether-BSA
Antibody	FKA-602E Purified by Protein A lyophilized serum of 2 µl / Vial
Dilution of IgG	2000test for ELISA 50µl/well use
Label (FKA-601)	Diethylstilbestol-4-Carboxymethyl ether-HRP 1ml / Vial 1,000test for ELISA 50µl/well use
O.D. (492/600nm) of B0	about 1.0
Testosterone dose of B0/2	about 4 ng/ml
Strage/Handling	Maintain at 4°C-8 °C (-20 °C for long term storage) in undiluted aliquots. Avoid repeated freeze/thaw cycles.

Steroid

Cross Reaction

Diethylstilbestol (DES)	100 %
Hexestrol	15.00 %
Dienestrol	0.50 %
Bisphenol A (BPA)	0.50 %
DES-diphosphate	0.02 %
Hexestrol-diphosphate	0.02 %
Estradiol (E2)	0.01 %
Ethynylestradiol	0.00 %
The other Steroids	0.00 %

For research use only; not for use as a diagnostic.

COSMO BIO CO.,LTD

TOYO EKIMAE BLDG, 2-20, TOYO 2CHOME, KOTO-KU, TOKYO 135-0016, JAPAN
 TEL: +81-3-5632-9605 FAX: +81-3-5632-9614 e-mail: export@cosmobio.co.jp

www.cosmobio.co.jp