DATA SHEET

Anti-EAAT4

(plasmalemmal glutamate transporter EAAT4)

Code Number : EAAT4-Rb- Af390 (rabbit, RRID : AB_2571695)

Size : 20 µg and 50 µg / See label on vial
(affinity- purified with antigen polypeptide)

Formulation : Liquid ; 200 µg/ml in PBS with 0.05% NaN_3.
(affinity- purified with antigen polypeptide)

Storage : Store at 4˚C. The antibody can be stored at 4˚C. The antibody can be also aliquotted and stored at -80˚C for long-term storage. Avoid repeated freeze -thawing. Non-hazardrous. No MSDS required.

Species : rabbit, polyclonal

Antigen : mouse EAAT4, 1- 20 aa (D83262)



Specificity : Mouse (others not tested)
Immunoblot detects a single prot ein band at 68 kDa.
This selectively stains extrasynaptic dendritic surface of cerebellar Purkinje cells.

Applications : In general, affinity -purified antibody is used at around 1 microgram/ml for immunoblot and immunohistochemistry . The most appropriate concentration should be determined by users, because it depends on contents in given cells, tissues and organs.

Research Use : For research use only, not for use in diagnostic procedures.

Remarks : High and low expression in two P urkinje cell populations yield banded pattern of immunolabeling across the cerebellum.

Reference : 1) Yamada, K., Watanabe, M., Shibata, T., Tanaka, K., Wa da, K., and Inoue, Y. (1996) EAAT4 is a post- synaptic glutamate transporter at Purkinje cell synapse s. Neuroreport .

7:2013-2017.

2) Tanaka, J., Ichikawa, R., Watanabe, M., Tanaka, K., an d Inoue, Y. (1997) Extra -junctional localization of glutamate transporter EAAT4 at excitatory Purkinje cell synapses. Neuroreport 8:2461-2464.

COSMO BIO CO., LTD.
Inspiration for Life Science
TOYO EKIMAE BLDG. 2-20, TOYO 2-CHOME, KOTO-KU, TOKYO 135-0016 JAPAN
TEL: (81)3-5632-9617 / FAX: (81)3-5632-9618 / e-mail: export@cosmobio.co.jp / URL:www.cosmobio.com