

KAL-KB488 For research use only

## Anti Human CCR5 Polyclonal Antibody

Code No. **KB488 Terget** CCR5 **GPCR** Category 1234 Gene ID

HGNC:1606 **Primary Source** 

CKR5; CD195; CKR-5; CCCKR5; CMKBR5; IDDM22; CC-**Synonyms** 

CKR-5; FLJ78003; CCR5

**Type** Polyclonal Antibody

**Immunogen** Recombinant protein of full length Human CCR5

Raised in Mouse

Myeloma Clone number

Protein A purified **Purification** 

Source Mouse Serum

Isotype **Cross Reactivity** 

Unlabeled Label 0.5 mg/mL Concentration Contents (Volume) 50 µg Buffer PBS, pH 7.2

Store at - 20 °C long term, store at 4 °C short term. Avoid Storage

repeated freeze-thaw cycles.

WB,FCM **Application** 

ELISA	WB	IHC	ICC
-	1.0	-	-
IP	FCM	IF	Neutralization
-	1.0	-	-
(			

(µg/mL)

199=

50 -

15-

10 [WB] CCR5 transfected 293T cell lysate

[FCM] CCR5 expressing 293 cells

(■) Negative control

## Reference

- 1. Samson M., et al. "Molecular cloning and functional expression of a new human CC-chemokine receptor gene." Biochemistry 35:3362-3367(1996)
- 2. Raport C.J., et al. "Molecular cloning and functional characterization of a novel human CC chemokine receptor (CCR5) for RANTES, MIP-1beta, and MIP-1alpha." J. Biol. Chem. 271:17161-17166(1996)
- 3. Combadiere C., et al. "Cloning and functional expression of CC CKR5, a human monocyte CC chemokine receptor selective for MIP-1(alpha), MIP-1(beta), and RANTES." J. Leukoc. Biol. 60:147-152(1996)

## **UniPlot Summary**

//Function: Receptor for a number of inflammatory CC-chemokines including MIP-1-alpha, MIP-1-beta and RANTES and subsequently transduces a signal by increasing the intracellular calcium ion level. May play a role in the control of granulocytic lineage proliferation or differentiation. Acts as a coreceptor (CD4 being the primary receptor) for HIV-1 R5 isolates.

//Subcellular location: Cell membrane; Multi-pass membrane protein.

//Tissue specificity: Highly expressed in spleen, thymus, in the myeloid cell line THP-1, in the promyeloblastic cell line KG-1A and on CD4+ and CD8+ T-cells. Medium levels in peripheral blood leukocytes and in small intestine. Low levels in ovary and lung. //Sequence similarities: Belongs to the G-protein coupled receptor 1 family.





COSMO BIO CO., LTD.

Inspiration for Life Science

TOYO 2CHOME, KOTO-KU, TOKYO, 135-0016, JAPAN http://www.cosmobio.co.jp e-mail: export@cosmobio.co.jp Phone: +81-3-5632-9617

FAX: +81-3-5632-9618