



## Anti VIP (Human, Porcine) Serum

Cat. No. YII-Y010-EX      Lot No. 52171011

**Description:** This antiserum was raised in a rabbit by immunization with a carrier free synthetic VIP (human, porcine) peptide. The product vial contains 50  $\mu$ L of the titled antiserum obtained by lyophilizing its 0.001 M phosphate buffer (pH 7.0, 0.5mL) solution. It can be used for immunoassay, immunohistochemistry or any other immunoreaction with VIP (human, porcine).

**Immunogen:** Synthetic VIP (human, porcine), carrier free **Host:** Rabbit

**Amino Acid Sequence of VIP (human, porcine)<sup>1)</sup>:**

HSDAVFTDNY TRLRKQMAVK KYLNSILN-NH<sub>2</sub>

**Product Form:** Lyophilized unpurified serum **Size:** 50  $\mu$ L

**Reconstitution:** Reconstitute the product with 0.5mL of 0.01M PBS (pH 7.0) to make a 10 fold diluted stock solution. If it is stored in a refrigerator, add moderate antiseptic to the solution (e.g. NaN<sub>3</sub> 0.1%).

**Storage:** The product will be stable for over one year if it be stored at -20°C to -80°C until opened. Upon reconstitution, the antiserum solution must be stored at 2°C to 8°C and used within one month. Repeated freezing-thawing should be avoided.

**Suggested Working Dilution Range:** 1:1,000-3,000 (final dilution ~1:21,000) for radioimmunoassay;

1: 1,000-4,000 for immunohistochemistry (frozen or paraffin sections). Optimal dilution should be determined by each laboratory for each application.

**Specificity** (based on radioimmunoassay): VIP (human, porcine) 100%, VIP (1-15) (human, porcine) 0%, secretin (porcine) 0%, GLP-1 (7-37) 0%, GIP(1-30) (human) 0%, PACAP27 (human) 0%, PACAP38 (human)<0.001%, GRF (human) 0%

**Positive Control** (immunohistochemistry): Rat colon.

**Species Tested:** Human (neuroblastoma NB-OK-1 cells), rat<sup>2)</sup>

### REFERENCES:

- 1) V. Mutt, S.I. Said, Structure of the porcine vasoactive intestinal octacosapeptide. The amino-acid sequence. Use of kallikrein in its determination. European Journal of Biochemistry 42:581-588,1974
- 2) N. Yanaihara, T. Kanno et al., VIP- and PACAP-induced salivary chromogranin A secretion in the isolated perfused submandibular gland of rats. Annals of the New York Academy of Sciences, J. Fahrenkrug and S.I. Said (Ed) 921:218-225, 2000

### FOR RESEARCH LABORATORY USE ONLY

DO NOT USE ORGANIC SOLVENTS FOR DISSOLVING ANTISERUM

#### Distributor



COSMO BIO CO., LTD.  
Inspiration for Life Science

TOYO EKIMAE BLDG. 2-20, TOYO 2CHOME  
KOTO-KU, TOKYO 135-0016, JAPAN  
TEL : +81-3-5632-9617  
FAX : +81-3-5632-9618  
URL : <http://www.cosmobio.co.jp/>  
e-mail : [export@cosmobio.co.jp](mailto:export@cosmobio.co.jp)

#### Manufacturer



2480-1 Awakura, Fujinomiya-shi,  
Shizuoka 418-0011, JAPAN  
Phone: +81-544-22-2771  
Fax: +81-544-22-2770  
URL : [www.yanaihara.co.jp](http://www.yanaihara.co.jp)  
E-mail : [ask@yanaihara.co.jp](mailto:ask@yanaihara.co.jp)