



## Anti Galanin (1-15) Serum

Cat. No. YII-Y182-EX      Lot No. 067171128

**Description:** This antiserum was raised in a rabbit by immunization with a porcine thyroglobulin (pTG) conjugate of synthetic galanin (1-15) peptide. The product vial contains 50  $\mu$ L of the titled antiserum obtained by lyophilizing its 0.001 M phosphate buffer (pH 7.0, 0.5mL) solution. It can be used for immunoassay, immunohistochemistry or any other immunoreaction with galanin (rat, porcine, human).

**Immunogen:** Synthetic galanin (1-15)-pTG conjugate **Host:** Rabbit

**Amino Acid Sequence of Galanin (1-15)<sup>1)</sup> :** 1 15  
GWTLNSAGYL LGPHA

The amino acid sequences of N-terminal (1-15) of galanins in mammals are 100% conserved.

**Product Form:** Lyophilized unpurified serum **Size:** 50  $\mu$ L

**Reconstitution:** Reconstitute the product with 0.5mL of 0.01M PBS (pH 7.0) to make a 10 fold diluted stock solution. If it is stored in a refrigerator, add moderate antiseptic to the solution (e.g. NaN<sub>3</sub> 0.1%).

**Storage:** The product will be stable for over one year if it be stored at -20°C to -80°C until opened. Upon reconstituted, the antiserum solution must be stored at 2°C to 8°C and used within one month. Repeated freezing-thawing should be avoided.

**Suggested Working Dilution Range:** 1:1,500 (final dilution ~1:10,500) for radioimmunoassay; 1:500-2,000 for immunohistochemistry (frozen or paraffin sections). Optimal dilution should be determined by each laboratory for each application.

**Specificity** (based on radioimmunoassay): Galanin (1-15) 100%, galanin (rat) 100%, galanin (porcine) 100%, galanin (2-29) (porcine) 53%, galanin (1-19) (porcine) 100%, galanin (1-11) < 0.01%, PP (human) 0%, gastrin (human) 0%, NPY (human) 0%, PYY (porcine) 0%

**Positive Control** (immunohistochemistry): Rat duodenum

**Species Tested:** Rat, tuna fish<sup>2,3,4)</sup>, Panax ginseng

### REFERENCES:

- 1) K. Tatemoto, A. Rokaeus et al., Galanin-a novel biologically active peptide from porcine intestine. FEBS Letters 164: 124-128, 1983
- 2) A. Habu, N. Yanaihara et al., Isolation and sequence determination of galanin from the pituitary of yellowfin tuna. Biomedical Research 15: 357-362, 1994
- 3) T. Mochizuki, N. Yanaihara et al., Isolation of tuna fish neuropeptide Y. Peptide Chemistry, A. Suzuki (Ed.), Protein Research Foundation, Osaka (1992) p339-344, 1991
- 4) N. Yanaihara, T. Mochizuki et al., Endocrine and gastrointestinal action of galanin. Annals of the New York Academy of Sciences, T. Hokfelt (Ed) 863:129-142, 1999

### FOR RESEARCH LABORATORY USE ONLY

DO NOT USE ORGANIC SOLVENTS FOR DISSOLVING ANTISERUM

#### Distributor



COSMO BIO CO., LTD.  
Inspiration for Life Science

TOYO EKIMAE BLDG. 2-20, TOYO 2CHOME  
KOTO-KU, TOKYO 135-0016, JAPAN  
TEL : +81-3-5632-9617  
FAX : +81-3-5632-9618  
URL : <http://www.cosmobio.co.jp/>  
e-mail : [export@cosmobio.co.jp](mailto:export@cosmobio.co.jp)

#### Manufacturer



2480-1 Awakura, Fujinomiya-shi,  
Shizuoka 418-0011, JAPAN  
Phone: +81-544-22-2771  
Fax: +81-544-22-2770  
URL : [www.yanaihara.co.jp](http://www.yanaihara.co.jp)  
E-mail : [ask@yanaihara.co.jp](mailto:ask@yanaihara.co.jp)