



**Anti CRF (3-41)(Human, Mouse, Rat) Serum**  
**Cat. No. YII-Y211-EX      Lot No. 109160705**

**Description:** This antiserum was raised in a rabbit by immunization with a porcine thyroglobulin (pTG) conjugate of synthetic CRF (3-41) (human, rat) peptide. The product vial contains 50 µL of the titled antiserum, which was obtained by lyophilizing its 0.001M phosphate buffer (pH 7.0, 0.5mL) solution. It can be used for immunoassay, immunohistochemistry or any other immunoreaction with CRF (human, mouse, rat).

**Immunogen:** Synthetic CRF (3-41) (human, mouse, rat)-pTG conjugate **Host:** Rabbit

**Amino Acid Sequence of CRF (3-41) (human, mouse, rat)<sup>1,2)</sup>**

3 41

SEPPISLDL TFHLLREVLE MARAEQLAQQ AHSNRKLMEI I-NH2

**Product Form:** Lyophilized unpurified serum **Size:** 50 µL

**Reconstitution:** Reconstitute the product with 0.5mL of 0.01M PBS (pH 7.0) to make a 10 fold diluted stock solution. If it is stored in a refrigerator, add moderate antiseptic to the solution (e.g. NaN<sub>3</sub> 0.1%).

**Storage:** The product will be stable for over one year if it be stored at -20°C to -80°C until opened. Upon reconstitution, the antiserum solution must be stored at 2°C to 8°C and used within one month. Repeated freezing-thawing should be avoided.

**Suggested Working Dilution Range:** 1:1,000 (final dilution 1:7,000) for radioimmunoassay; 1:200-2,000 for enzymeimmunoassay; 1:1,000-5,000 for immunohistochemistry (frozen section). Optimal dilution should be determined by each laboratory for each application.

**Specificity** (based on ELISA): CRF (3-41) (human, mouse, rat) 100%, CRF (human, mouse, rat) 100%, CRF (17-41) (human, mouse, rat) < 0.1%, urocortin (human) < 0.01%, urocortin (rat) < 0.01%, ACTH (human) < 0.01%, ACTH (rat) < 0.01%

**Positive Control** (immunohistochemistry): Rat hypothalamus

**Species Tested:** Rat

**REFERENCES:**

- 1) S. Shibahara, Y. Morimoto et al., Isolation and sequence analysis of the human corticotropin-releasing factor precursor gene. EMBO Journal 2: 775-779, 1983
- 2) J. Rivier, J. Spiess and W. Vale, Characterization of rat hypothalamic corticotropin-releasing factor. Proceedings of National Academy of Sciences USA 80:4851-4855, 1983

**FOR RESEARCH LABORATORY USE ONLY**

DO NOT USE ORGANIC SOLVENTS FOR DISSOLVING ANTISERUM

**Distributor**



COSMO BIO CO., LTD.  
Inspiration for Life Science

TOYO EKIMAE BLDG. 2-20, TOYO 2CHOME  
KOTO-KU, TOKYO 135-0016, JAPAN  
TEL : +81-3-5632-9617  
FAX : +81-3-5632-9618  
URL : <http://www.cosmobio.co.jp/>  
e-mail : [export@cosmobio.co.jp](mailto:export@cosmobio.co.jp)

**Manufacturer**



2480-1 Awakura, Fujinomiya-shi,  
Shizuoka 418-0011, JAPAN  
Phone: +81-544-22-2771  
Fax: +81-544-22-2770  
URL : [www.yanaihara.co.jp](http://www.yanaihara.co.jp)  
E-mail : [ask@yanaihara.co.jp](mailto:ask@yanaihara.co.jp)