



Anti 11-Oxo-Testosterone-3-CMO-BSA polyclonal antibody

Product No. FKA-118E

The Cross reactivities of anti 11-Oxo-Testosterone-3-CMO-BSA (FKA-118E)
by ELISA with 11-Oxo-Testosterone-3-CMO-HRP (FKA-117)

Antigen	11-Oxo-Testosterone-3-CMO-BSA		
Antibody(FKA-118E)	Purified by Protein A	lyophilized	2μl / Vial
Dilution of IgG	2000test for ELISA	50μl/well use	
Label (FKA-117)	11-Oxo-Testosterone-3-CMO-HRP		1ml / Vial
	1,000test for ELISA	50μl/well use	
O.D. (492/600nm) of B0	1.0		
11-KT dose of B0/2	100 pg		
Strage/Handling	Maintain at 4°C-8 °C (-20 °C for long term storage) in undiluted aliquots. Avoid repeated freeze/thaw cycles.		

Steroid	Cross Reaction
11-Oxo-Testosterone(11-Keto-Testosterone)	100 %
11Beta-Hydroxy-Testosterone	1.70 %
Testosterone	2.70 %
4- Androstenedione	1.00 %
DHT	0.48 %
11Beta-Hydroxy-Androstenedione	0.02 %
Androstenedione	0.01 %
11-Oxo-Androsterone	0.05 %
11-Oxo-Etiocholanolone	0.10 %
pregnenolone	0.15 %
Corticosterone	0.02 %
Cortisol	0.002 %
Estradiol	0.02 %

For research use only; not for use as a diagnostic.

