



Anti Cortisol-3-CMO polyclonal antibody

Product No. FKA-404E

The Cross reactivities of anti Cortisol-3-CMO (FKA-404E)
by ELISA with Cortisol-3-CMO-HRP (FKA-403)

Antigen	Cortisol-3-CMO-BSA		
Antibody(FKA-404E)	Purified by Protein A	lyophilized	2µl / Vial
Dilution of IgG	2000test for ELISA	50µl/well use	
Label (FKA-403)	Cortisol-3-CMO-HRP		1ml / Vial
	1,000test for ELISA	50µl/well use	
O.D. (492/600nm) of B0	1.0		
Cortisol dose of B0/2	10ng/ml (500pg/well)		
Strage/Handling	Maintain at 4°C-8 °C (-20 °C for long term storage) in undiluted aliquots. Avoid repeated freeze/thaw cycles.		

Steroid	Cross Reaction
Cortisol (Compd. F)	100 %
11-Deoxycortisol (Compd. S)	11.5 %
Cortisone (Compd. E)	4 %
Corticosterone (Compd. B)	2 %
17-Hydroxy-11-Deoxy-Corticosterone (Compd. A)	0.2 %
17Alpha-Hydroxy-Progesterone (17Alpha-OHP4)	0.04 %
Progesterone	0.035 %
Testosterone	0.02 %
Androstenedione	0.006 %
Aldosterone	<0.01 %
Pregnenolone	<0.01 %
17Alpha-Hydroxy-Pregnenolone	<0.01 %
Dehydroepiandrosterone	<0.01 %
Estradiol	<0.01 %

For research use only; not for use as a diagnostic.

