



Anti Preprogalanin (89-124)(Rat) Serum

Cat. No. YII-Y185-EX Lot No. 193100513

Description: This antiserum was raised in a rabbit by immunization with a carrier free synthetic preprogalanin (89-124)(rat) peptide. The product vial contains 50 μ L of the titled antiserum obtained by lyophilizing its 0.001M phosphate buffer (pH 7.0, 0.5mL) solution. It can be used for immunoassay, immunohistochemistry or any other immunoreaction with preprogalanin (rat).

Immunogen: Synthetic preprogalanin (89-124) (rat), carrier free **Host:** Rabbit

Amino Acid Sequence of Preprogalanin (89-124)(rat)¹⁾:

89 124

RT IMEFLSFLHL KEAGALDSLP GIPLATSSSED LEQS

Product Form: Lyophilized unpurified serum **Size:** 50 μ L

Reconstitution: Reconstitute the product with 0.5mL of 0.01M PBS (pH 7.0) to make a 10 fold diluted stock solution. If it is stored in a refrigerator, add moderate antiseptic to the solution (e.g. NaN₃ 0.1%).

Storage: The product will be stable for over one year if it be stored at -20°C to -80°C until opened. Upon reconstituted, the antiserum solution must be stored at 2°C to 8°C and used within one month. Repeated freezing-thawing should be avoided.

Suggested Working Dilution Range: 1:3,000 (final dilution ~1:21,000) for radioimmunoassay; 1:500-2,000

for immunohistochemistry (frozen or paraffin sections). Optimal dilution should be determined by each laboratory for each application.

Specificity (based on radioimmunoassay): Preprogalanin (rat) 100%, preprogalanin (human) 80%, galanin (rat) 0%

Positive Control (immunohistochemistry): Rat pyrolic spinner

Species Tested: Rat²⁾

REFERENCES:

1) L.M. Kaplan, E.R. Spindel et al., Tissue-specific expression of the rat galanin gene. Proceedings of National Academy of Sciences, USA 85: 1065-1069, 1988

2) N. Yanaihara, T. Mochizuki et al., Endocrine and gastrointestinal action of galanin. Annals of the New York Academy of Sciences, T. Hokfelt (Ed) 863:129-142, 1999

FOR RESEARCH LABORATORY USE ONLY

DO NOT USE ORGANIC SOLVENTS FOR DISSOLVING ANTISERUM

