



Anti Preprorenin (288-317)(Human) Serum
Cat. No. YII-Y191-EX Lot No. 65161005

Description: This antiserum was raised in a rabbit by immunization with a carrier free synthetic preprorenin (288- 317) (human) peptide. The product vial contains 50μL of the titled antiserum obtained by lyophilizing its 0.001M phosphate buffer (pH 7.0, 0.5mL) solution. It can be used for immunoassay, immunohistochemistry or any other immunoreaction with renin (human) and its precursor preprorenin.

Immunogen: Synthetic preprorenin (288-317) (human), carrier free **Host:** Rabbit

Amino Acid Sequence of Preprorenin (288-317) (human)¹⁾:
LAL VDTGASYISG STSSIEKLME ALGAKKR

Product Form: Lyophilized unpurified serum **Size:** 50 μL

Reconstitution: Reconstitute the product with 0.5mL of 0.01M PBS (pH 7.0) to make a 10 fold diluted stock solution. If it is stored in a refrigerator, add moderate antiseptic to the solution (e.g. NaN₃ 0.1%).

Storage: The product will be stable for over one year if it be stored at -20°C to -80°C until opened. Upon recon- stitution, the antiserum solution must be stored at 2°C to 8°C and used within one month. Reconstituted antiserum solution can also be aliquotted and stored at -20°C to -80°C for six months without marked loss of activity. Repeated freezing- thawing should be avoided.

Suggested Working Dilution Range: 1:1,000~5,000 for enzyme immunoassay; 1:1,000- 4,000 for immuno- histochemistry (frozen section). Optimal dilution should be determined by each laboratory for each application.

Specificity (based on non-competitive EIA): Preprorenin (288-317) (human) 100%, preprorenin (21-64) (human)< 0.043%, preprorenin (337-360) (human) 0%

Positive Control (immunohistochemistry): Human and rat kidney

Species Tested: Human, rat

REFERENCES:

1) T. Imai, H. Miyazaki, et al., Cloning and sequence analysis of cDNA for human renin precursor. Proceedings of National Academy of Sciences, U.S.A 80: 7405-7409, 1983

FOR RESEARCH LABORATORY USE ONLY

DO NOT USE ORGANIC SOLVENTS FOR DISSOLVING ANTISERUM

