

CAP-D3 Antibody (BL2944) Affinity Purified

Produced in Rabbit

Catalog No. A300-604A

Storage:

 $2 - 8^{\circ} C$

Amount: 0.1 ml at 0.2 mg/ml

Buffer: Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide

Shelf life: 1 year from date of receipt

Production Procedures: Antibody was affinity purified using an epitope specific to CAP-D3 immobilized on solid support.

The epitope recognized by A300-604A maps to a region between residue 1450 and the C-terminus (residue 1507) of human Chromosome-Associated Protein D3 using the numbering given in entry NP 056076.1

(GeneID 23310).

Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0

mg of IgG.

Alternative Names: CAPD3, CAP-D3, hCAPD3, hCAP-D3, Human Chromosome-Associated Protein D3, Condensin II

Subunit CAP-D3.

Country of Origin: USA

Notes: Centrifuge microtube to remove product from lid.

For in vitro laboratory use only. Not for any clinical, therapeutic, or diagnostic use in humans or


animals. Not for animal or human consumption.

This product may not be resold or modified for resale without the prior written approval of

Bethyl Laboratories, Inc.

Related Products: CAP-D3 Blocking Peptide BP2944 BP300-604

R anti-CAP-D2 Antibody BL2932 A300-601A R anti-CAP-G Antibody BL2936 A300-602A R anti-CAP-H Antibody BL2940 A300-603A R anti-SMC2(CAP-E) Antibody BL546 A300-056A R anti-SMC2(CAP-E) Antibody BL547 A300-057A R anti-SMC4(CAP-C) Antibody BL550 A300-063A R anti-SMC4(CAP-C) Antibody BL551 A300-064A



CAP-D3 Antibody (BL2944)

Bethyl Laboratories, Inc.

Cat. No. A300-604A

Reactivity:

Human. CAP-D3 was not readily detected in initial tests of whole cell lysate from mouse (NIH3T3) cells. Other species have not been tested.

Applications:


Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use. Suggested starting dilutions are as follows.

Western Blot: 1:2,000 – 1:10,000


Immunoprecipitation: 1 to 4 mcg/mg of lysate

IHC/ICC/IF: not tested

In some cases, the antibody may be diluted further than indicated.



Detection of Human CAP-D3 by Western Blot and Immunoprecipitation. *Samples:* Whole cell lysate from HeLa (5, 15 and 50 mcg for WB; 1 mg for IP, 20% of IP loaded) and 293T (50 mcg for WB) cells. *Antibodies:* Affinity purified rabbit anti-CAP-D3 antibody BL2944 (Cat. No. A300-604A) used for WB at 0.04 mcg/ml (A) and 1 mcg/ml (B) and for IP at 3 mcg/mg lysate (B). CAP-D3 was also immunoprecipitated using rabbit anti-CAP-D3 antibody BL2943, which binds an upstream epitope. For detecting immunoprecipitated CAP-D3, ReliaBLOTTM Reagents and Procedures (Cat. No. WB120) were used. *Detection:* Chemiluminescence with exposure times of 10 seconds (A) and 3 seconds (B).



CAP-D3 Antibody (BL2944) Affinity Purified

Produced in Rabbit

Catalog No. A300-604A



MATERIAL SAFETY DATA SHEET

Contents Description

This product contains rabbit immunoglobulin G (IgG) protein in Tris-buffered Saline containing 0.1 % BSA and 0.09% Sodium Azide.

Hazardous Ingredients

Rabbit IgG Protein - No known toxicity for this biological material.

Bovine Serum Albumin (BSA) - No known toxicity for this biological material.

Sodium Azide (NaN_3) - AZIDE FORMS EXPLOSIVE CHEMICAL COMPOUNDS WITH LEAD AND COPPER PLUMBING. CARE MUST BE TAKEN TO WASH WASTE DOWN DRAINS WITH LARGE VOLUMES OF WATER. LD50 oral mouse - 27 mg/kg.

Wash all affected areas with large volumes of water and if swallowed consult your physician immediately.

The above information is believed to be correct but does not purport to be all-inclusive and is intended to be used only as a guide. Bethyl Laboratories, Inc. shall not be liable or responsible in any way for use of either this information or the material supplied. Disposal of hazardous material may be subject to federal, state, or local laws or regulations.