

MONOCLONAL ANTIBODY

For research use only. Not for clinical diagnosis

Catalog No. CEC-036

Anti- Brg1 antibody[Clone : 5B7]

BACKGROUND

Brm-related gene-1 (Brg1) is a catalytic subunit of the SWI/SNF chromatin remodeling enzyme complex that has ATPase activity. This complex facilitates chromatin remodeling for gene expression by utilizing energy for ATP hydrolysis. It is well known that the SWI/SNF chromatin remodeling enzyme complex is essential for cell differentiation, cell cycle regulation, and embryogenesis.

Product type	Primary antibody		
Immunogen	Recombinant GST-fused N-terminus region of human Brg1 (aa 213-295).		
Host	Rat		
Clone number	5B7		
Isotype	lgG2a, κ		
Source	Culture supernatant		
Purification	Ion-exchange chromatography		
Form	Liquid		
Presentation	Purified monoclonal antibody in PBS, 50% Glycerol, 0.05%w/v ProClin300		
Concentration	1 mg/mL		
Volume	100 μL		
Label	Unlabeled		
Specificity	Brg1		
Cross reactivity	Human, Monkey, Mouse Other species have not been tested.		
Storage	Store below -20°C (below -70°C for prolonged storage)		
	Aliquot to avoid cycles of freeze/thaw.		

Other

Application notes	Recommended use WB, ICC, IHC, ChIP, IP Recommended dilutions Western blotting, 1/1,000 to Immunocytochemistry, 1/100 Immunohistochemistry, 1/100	to 1/500	
	Optimal dilutions/concentrations should be determined by the end user.		
References	1) Ohkawa et al., (2007) J. Biol. Chem. 282, 6564-6570. 2) Ohkawa et al., (2010) Hybridoma, 6, 463-466.		
	This antibody is used in ref.1 and 2.		







Fig.1 Immunocytochemistry/ Immunofluorescence – Brg1 antibody (5B7), HeLa cells



1.HeLa cells (human) 2.Cos 1 cells (monkey) 3.L929 cells (mouse)

Fig.2 Western blot - Brg1 antibody (5B7) , 1.HeLa, 2.Cos-1, 3.L929 cell total extracts.

For research use only, Not for diagnostic use.

