

POLYCLONAL ANTIBODY

For research use only. Not for clinical diagnosis.

Catalog No. CNP- WB-210


Anti IPMK

Product type	Primary antibodies
Immunogen	IPMK (NP_689416.1, 1 a.a. ~ 416 a.a) full-length human protein.
Form	Liquid Protein A purified
Volume	100ul
Specificity	Human
Host	Rabbit
Immunogen Sequence	MATEPPSPLRVEAPGPPPEMRTSPAIESTPEGTPQPAGGRLRFLNGCVPLSHQVAGHMYGK DKVGILQHPDGTVLKQLQPPPRGPRELEFYNNMYYAADCDFGVLLLELRKYLPKYYGIWSPP TAPNDLYLKLEDVTHKFNKPCIMDVKIGQKSYDPFASSEKIQQQVSKYPLMEEIGFLVLG MRVYHVHSDSYETENQHYGRSLTKETIKDGVSRFFHNGYCLRKDAVAASIQKIEKILQWF ENQKQLNIFYASSLLFVYEGSSQPTTTKLNDRTLAEKFLSKGQLSDTEVLEYNNNFHVLSS TANGKIESSVGKSLSKMYARHRKIYTKKHHSQTSKVENLEQDNGWKSMSQEHLNGNVLS QLEKVFYHLPTGCQEIAEVEVRMIDFAHVFPSTIDEGYVYGLKHLISVLRSLDN

Gene Alias TMEM2L

Application notes **WB**
Antibody dilution: 1:1000 ~ 1:2000. Specific band of ~47.20 kDa using IPMK transfected 293T lysate.

Western Blotting (Transfected lysate)



Western Blot analysis of IPMK expression in transfected 293T cell line by IPMK rabbit polyclonal antibody.

Lane 1: IPMK transfected lysate(47.20 KDa).

Lane 2: Non-transfected lysate.

Storage

For continuous use, store at 2-8°C for one-two days. For extended storage, store in -20°C freezer. Working dilution samples should be discarded if not used within 12 hours.

For research use only. Not for clinical diagnosis.



COSMO BIO Co., LTD.

Inspiration for Life Science

TOYO 2CHOME, KOTO-KU, TOKYO, 135-0016, JAPAN

URL: <http://www.cosmobio.co.jp>

e-mail: export@cosmobio.co.jp

[Outside Japan] Phone : +81-3-5632-9617

[国内連絡先] Phone : +81-3-5632-9610

FAX : +81-3-5632-9618

FAX : +81-3-5632-9619