

POLYCLONAL ANTIBODY

For research use only. Not for clinical diagnosis.

Catalog No. CNP- WB-495

Anti IARS

Product type Primary antibodies

Immunogen IARS (AAH65552.1, 1 a.a. ~ 1055 a.a) full-length human protein.

Form Liquid
Protein A purified

Volume 100ul

Specificity Human

Host Rabbit

Immunogen Sequence MESVWWVFKQLYDKGLVYRGVKVMPFSTACNTPLSNFESHQNYKDVQDPSVFVTFPLEED
ETVSLVAWTTTPWTLPSNLAVCVNPEMQYVKIKDVARGRLILMEARLSALYKLESDYEI
LERFPGAYLKGKKYRPLFDYFLKCKENGAFSTVLVDNYVKEEEGTGVVHQAPYFGAEDYRV
CMDFNIIKRDSPVCPVDASGCFTTEVTDFAGQYVKDADKSIIRTLKEQGRLLVATTFTH
SYPCWRSdTPLIYKAVPSWFVRVENMVDQLLRNNDLCYWPELVREKRFGNWLKDARDW
TISRNRYWGTPILWVSDDFEVVCIGSVAEELEELSGAKISDLHRESVDHLTIPSRGKG
SLHRISEVFDCWFESGSMYPYQVHYPFENKREFEDAFPADFIAEGIDQTRGWFYTLVLVLA
TALFGQPPFKNVIVNGLVLASDGQKMSKRKNYPDPVSIIQKYGADALRLYLINSPVVR
ENLRFKEEGVRDVLKDVLLPWYNAYRFLIQNVRLQKEEEIEFLYNENTVRESPNITDRW
ILSFMQSLIGFFETEMAAAYRLYTVPRLVKFVDILTNYVVRMNRRLKGENGMECDVMAL
ETLFSVLLSLCRLMAPYTPFLTMYQNLKVLIDPVSVDKDTLSIHYLMLPRVREELID
KKTESAVSQMQSVIELGRVIRDRKTIPIKYPLKEIVVIHQDPEALKDIKSLEKYIIIEELN
VRKVTLSTDKNKYGIRLRAEPDHMVLGKRLKGAFKAVMTSIKQLSSEEELEQFQKTGTIVA
EGHELHDEDIRLMTFDQATGGTAQFEAHSDAQALVLLDVTDPQSMVDEGMAREVINRIQ
KLRKKCNLVPTDEITVYYKAKSEGTYLNSVIESHTEFIFTTIKAPLKPYVPSPDKVLIQ
EKTQLKGSELEITLTRGSSLPACAYVNLNICANGSEQGGVLLLENPKGSAPSLINSSS
TLLCQYINLQLLNAKPQECLMGTVGTLLENPLGQNGLTHQGLLYEAAKVFGLRSRKLLK
FLNETQTQEITDIPVKTLNMKTVYVSVLPTTADF


Gene Alias FLJ20736, IARS1, ILRS, PRO0785

**Application
notes**

WB

Antibody dilution: 1:1000 ~ 1:2000. Specific band of ~120.60 kDa using IARS transfected 293T lysate.

Western Blotting (Transfected lysate)




Western Blot analysis of IARS expression in transfected 293T cell line by IARS rabbit polyclonal antibody.

Lane 1: IARS transfected lysate(120.60 KDa).

Lane 2: Non-transfected lysate.

Antibody dilution: 1:1000. Western Blot analysis of IARS expression in Jurkat (Predicted Mw: 144.4800 kDa).

Western Blotting (Cell lysate)



IARS rabbit polyclonal antibody. Western Blot analysis of IARS expression in Jurkat.

Storage

For continuous use, store at 2-8°C for one-two days. For extended storage, store in -20°C freezer. Working dilution samples should be discarded if not used within 12 hours.

For research use only. Not for clinical diagnosis.



COSMO BIO Co., LTD.

Inspiration for Life Science

TOYO 2CHOME, KOTO-KU, TOKYO, 135-0016, JAPAN

URL: <http://www.cosmobio.co.jp>

e-mail: export@cosmobio.co.jp

[Outside Japan] Phone : +81-3-5632-9617

[国内連絡先] Phone : +81-3-5632-9610

FAX : +81-3-5632-9618

FAX : +81-3-5632-9619