



## Certificate of Analysis


### Ludger-BioQuant 2AB Labelled Chitotriose Standard

Cat. #: BQ-CAB-CHI-01

Batch: B37I-03

Size: 104.0 ± 0.3pmol

The 2AB labelled chitotriose standard is a fluorescently tagged linear tri-N-acetylglucosamine quantitative standard. The standard has been accurately dispensed from a bulk solution the concentration of which has been determined by quantitative NMR.



**Figure 1:** Waters BEH column HPLC profile of 2AB labelled chitotriose standard (Cat. #: BQ-CAB-CHI-01, Batch B37I-03).

**Accuracy:** This analysis was performed on 12 vials of BQ-CAB-CHI-01.

**The dispensed amount was determined as 104.0 ± 0.3 pmol chitotriose per vial.**

Values are in pmols ±95% confidence interval.



**2AB labeled chitotriose standards eluted under the following HPLC conditions:**

Column: Waters BEH glycan 1.7µm column (150mm)

Flow: 0.56 ml/min.

Temperature: 60 °C

Solvent A: 50mM ammonium formate pH4.4

Solvent B: 100% acetonitrile

<u>Gradient:</u>	Time	%B
	0.0	78.0
	5.0	72.5
	5.5	40.0
	6.0	78.0
	10.0	78.0

HPLC: Dionex U3000 UHPLC    Detector: U3000 FD

Excitation wavelength: 250 nm

Emission wavelength: 428 nm




Figure 2: GlycoBase glycan structure key